

# QB365 Question Bank Software Study Materials

## PHP: Hypertext Preprocessor 50 Important 1 Marks Questions With Answers (Book Back and Creative)

12th Standard

### Computer Applications

Total Marks : 50

#### Multiple Choice Question

50 x 1 = 50

- 1) The expansion of PHP is \_\_\_\_\_.  
(a) **PHP: Hypertext Preprocessor** (b) Personal Hypertext Preprocessor (c) Pretext Home page  
(d) Preprocessor Home Page
- 2) What is the extension of PHP file?  
(a) .html (b) .xml (c) **.php** (d) .ph
- 3) The PHP script should start with \_\_\_\_\_.  
(a) **< ?php** (b) < php (c) < php? (d) < :?
- 4) How many data types does PHP support?  
(a) 18 (b) 28 (c) **8** (d) 38
- 5) Every variable name in PHP must begin with a \_\_\_\_\_ symbol.  
(a) # (b) // (c) **\$** (d) <
- 6) \_\_\_\_\_ in PHP are case-sensitive.  
(a) **Variable names** (b) Keywords (c) Variable names and keywords (d) None of the above
- 7) The assignment operator is \_\_\_\_\_.  
(a) **=** (b) == (c) === (d) !=
- 8) \_\_\_\_\_ operators perform an action to compare two values.  
(a) Arithmetic (b) **Comparison** (c) Increment (d) Logical
- 9) Which operator is called "identical"?  
(a) = (b) == (c) **===** (d) < >
- 10) \_\_\_\_\_ is a data type which contains decimal numbers.  
(a) Integer (b) **Float** (c) Boolean (d) NULL
- 11) What does PHP files have a default file extension?  
(a) .html (b) .xml (c) **.php** (d) .ph
- 12) Which of the following must be installed on your computer so as to run PHP script?  
(a) Adobe (b) windows (c) **Apache** (d) IIS
- 13) What will be the output of the following PHP code?  
< ?php  
\$ num = 1;  
\$ num1 = 2;  
print \$ num . "+" . \$ num 1 ;  
? >

- (a) 3    **(b) 1 + 2**    (c) 1.+2    (d) Error
- 14) Which statement will output \$x on the screen?  
**(a) echo "\ \$x";**    (b) echo "\$\$x";    (c) echo "/\$x";    (d) echo "\$x;
- 15) The assignment activity implemented using \_\_\_\_\_ operator.  
(a) +    (b) -    (c) \*    **(d) =**
- 16) PHP can embed with \_\_\_\_\_  
(a) HTML    (b) CSS    (c) Javascript    **(d) All of the above**
- 17) Which of the following is an identical operator?  
(a) =    (b) ==    **(c) ===**    (d) != =
- 18) Boolean is a data type which denotes \_\_\_\_\_  
(a) Integer numbers    (b) Decimal point numbers    **(c) True or False state**    (d) Array
- 19) \_\_\_\_\_ is a data type which has multiple values in single variable.  
(a) Integer numbers    (b) Decimal point numbers    (c) True or False state    **(d) Array**
- 20) We can use \_\_\_\_\_ to comment multiple lines?  
(a) /?    (b) //    (c) #    **(d) /\*\*/**
- 21) Who has introduced the concept of Internet and World Wide Web?  
(a) Tim Bernold-Lee    (b) Tim Berern-Lee    **(c) Tim Berners-Lee**    (d) Tim Berned-Lee
- 22) Which of the following is very simple and lightweight open source server side scripting language?  
**(a) PHP**    (b) ASP    (c) JSP    (d) Java script
- 23) The current version of PHP \_\_\_\_\_ is released by the official team  
(a) 3.7    **(b) 7.3**    (c) 9.3    (d) 3.9
- 24) Which is a high performance hardware machine and it could run more than one application concurrently?  
(a) PHP    (b) CGI    **(c) Server**    (d) Internet
- 25) Which of the following could send the request and receive the response from the server hardware?  
**(a) Client**    (b) Server    (c) Internet    (d) Tomcat Apache
- 26) The client could sent the request and receive the response from the server \_\_\_\_\_.  
**(a) hardware**    (b) software    (c) provider    (d) requester
- 27) How many classifications are there for client server Architecture?  
(a) 2    **(b) 3**    (c) 4    (d) 6
- 28) Which of the following architecture is used for the server accessed by client through more than one layer interaction?  
(a) Two Tier    (b) Three Tier    (c) N Tier    **(d) both (b) and (c)**
- 29) How many types of web scripting languages are there?  
**(a) 2**    (b) 3    (c) 4    (d) 5
- 30) Recent statistics of web server usage depict that more than \_\_\_\_\_ % websites are running under the open source web server.  
**(a) 130**    (b) 310    (c) 13.6    (d) 73

- 31) Which of the following is developed by the programmer using PHP Script?  
 (a) Website (b) Web page **(c) Both (a) and (b)** (d) Server machine
- 32) Response will be generated and sent back to the client machine over the network from \_\_\_\_\_.  
 (a) Web site (b) Web page **(c) Web server** (d) Remote server machine
- 33) Which of the following interpreter produces raw HTML files to browsers in the client machine?  
 (a) HTML **(b) PHP** (c) Java script (d) Web server
- 34) How many primitive data types supports by PHP scripting language?  
 (a) 8 (b) 5 (c) 6 **(d) 13**
- 35) Which of the following data type contains decimal numbers?  
 (a) Integer **(b) Float** (c) Char (d) String
- 36) Which of the following data type has multiple values in a single variable?  
 (a) Variables (b) Var\_dump **(c) Array** (d) Resources
- 37) Find the output of the following php code?  

```
< ?php
a = 5; b = 5;
echo )a == b);
? >
```

 (a) 5== 5 **(b) 1** (c) error (d) false
- 38) Which of the following concept that stores more than one value of same data type is single variable?  
 (a) Parameter concept (b) Argument concept (c) Variable concept **(d) Array concept**
- 39) In PHP, Default syntax should start with\_\_\_\_\_and end with\_\_\_\_\_.  
 (a) (b) (c) **(d)**
- 40) Which one of the following is the important server side web and general purpose scripting language?  
 (a) Javascript **(b) PHP** (c) VB script (d) SQL
- 41) CSS expansion is\_\_\_\_\_.  
**(a) Cascading Style Sheets** (b) Cascading Side Sheets (c) Consolidated Style Sheets (d) Compiled Style Sheets
- 42) Which of the following is a client side scripting language?  
 (a) PHP **(b) Javascript** (c) ASP (d) JSP
- 43) The short open Tags begins with\_\_\_\_\_.  
**(a)** (b) (c) ?< .... (d)
- 44) Which datatype returns true or false?  
**(a) Boolean** (b) NULL (c) Resource (d) None of these
- 45) Which datatype have multiple values in single variable?  
 (a) NULL (b) Resource (c) Boolean **(d) Array**
- 46) What does the hash (e) sign mean in PHP?  
**(a) It indicates lines that are commented out.** (b) It indicates variable declaration (c) It indicates function declaration  
 (d) No uses in PHP

- 47) Which operator is mostly used during iterations in the program logics?  
(a) Increment (b) Decrement **(c) Both a & b.** (d) None of these
- 48) Concatenation assignment operators comes under\_\_\_\_.  
**(a) String** (b) Character (c) Assignment (d) Logical
- 49) PHP is\_\_\_\_scripting language.  
**(a) Server-side** (b) Client-side (c) Middle-side (d) Out-side
- 50) PHP scripts are executed on \_\_\_\_.  
(a) ISP computer (b) Client computer **(c) Server computer** (d) It depends on PHP scripts